EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S5	0	S1 and ((cross\$1site) SAME script\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 14:45
S4	0	S1 and ((cross adj site) SAME script\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 14:45
S3	0	S1 and ((cross adj site) with script\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 14:45
S6	0	S1 and ((cross\$1site))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 14:46
S8	27	S7 and prevent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:41
S9	1	S1 and (prevent with script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:42
S7	83	cross\$1site	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 15:43
S11	2	"20040260754"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/13 16:48
S12	84	log\$4 with attack\$1 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:12

S14	55	(log\$1 or logging) with attack\$1 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:22
S17	0	((log\$1 or logging) with attack\$1) SAME (evaluation with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:23
S16	0	((log\$1 or logging) with attack\$1) SAME (evaluation with server) SAME later	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:23
S19	0	((log\$1 or logging) with attack\$1) SAME evaluat\$3 SAME server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:24
S18	0	((log\$1 or logging) with attack\$1) SAME evaluation SAME server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:24
S15	37	S14 and @ad<"20030620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:25
S23	10	S22 and @ad<"20030620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:28
S22	14	((log\$1 or logging) adj2 attack\$1) SAME server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:28
S21	54	S20 and @ad<"20030620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:28
S20	83	((log\$1 or logging) with attack\$1) SAME server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 15:28

S24	2	"20040260754"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/11 19:58
S25	6	((warn notify alert) with user) same (script and (attack malicious mal\$form \$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/11 19:59
S26	40	cross\$site and script\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/11 20:05
S10	31	cross\$site and script\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/11 20:05
S27	8	S26 and (warn notify alert) same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/11 20:21
S28	2	(malicious mal\$1formed) same (script\$3) and (re \$1submi\$5 same user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/11 20:22
S1	431	726/22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 10:26
S31	1	S30 and attack and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 10:27
S 29	44	(re\$submi\$5 with request) same HTTP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 10:27
S32	15	S30 and (warn alert notify)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 10:34

S33	14	("5892911" "6134680" "6202087" "6269460" "6273622" "6353855" "6421715" "6421740" "6438716").PN. OR ("6594697").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/12 11:59
S35	11	S33 and (alert\$3 warn\$3 notifi\$6 error)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/12 12:21
S34	2	S33 and (re\$1submi\$5 re \$1load\$3 re\$1send\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/12 12:22
S 37	6	HTTP with (re\$1submi\$5 re\$1load\$3 re\$1send\$3 re \$1transmi\$5) with (request page) and (dangerous malicious mal \$1formed attack\$3) with (script\$3 applet\$1 code program\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/12 13:38
S38	8	HTTP same (re\$1submi\$5 re\$1load\$3 re\$1send\$3 re \$1transmi\$5) with (\$2valid request page) and (dangerous malicious mal\$1formed attack\$3) with (script\$3 applet\$1 code program\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/12 13:41
S41	45	(HTTP same ((re\$1submi \$5 re\$1load\$3 re\$1send \$3 re\$1transmi\$5) with (\$2valid request page))) and ((dangerous malicious mal\$1formed attack\$3) and(script\$3 applet\$1 code program \$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/12 13:42
S40	11	(HTTP same ((re\$1submi \$5 re\$1load\$3 re\$1send \$3 re\$1transmi\$5) with (\$2valid request page))) and ((dangerous malicious mal\$1formed attack\$3) same (script\$3 applet\$1 code program \$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/12 13:42
S42	29	S41 and @ad<"20030620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 13:43

S44	17	S43 and @ad<"20030620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 13:56
S43	40	cross\$site and script\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 13:56
S39	8	(HTTP same ((re\$1submi \$5 re\$1load\$3 re\$1send \$3 re\$1transmi\$5) with (\$2valid request page))) and ((dangerous malicious mal\$1formed attack\$3) with (script\$3 applet\$1 code program \$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/12 13:57
S45	4	S44 and (re\$1submi\$5 re \$1load\$3 re\$1send\$3 re \$1transmi\$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/12 14:01
S46	3	HTTP with error with "401" with request	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/12 14:02
S47	18	HTTP with error with "400" with request	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/12 14:12
S36	49	user with correct\$3 with (re\$1submi\$5 re\$1load\$3 re\$1send\$3 re\$1transmi \$5) with (request page)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/12 14:13
S50	40	("400" with bad adj request) and (\$2try re \$1submi\$5 re\$1load\$3 re \$1send\$3 re\$1transmi\$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/12 14:18
S49	26	("400" with bad adj request) and (re\$1submi \$5 re\$1load\$3 re\$1send \$3 re\$1transmi\$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/12 14:18
S48	3	("400" with bad adj request) same (re\$1submi \$5 re\$1load\$3 re\$1send \$3 re\$1transmi\$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/12 14:18
S30	33	S29 and @ad<"20030620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 14:19

S52	2	"20020165027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 16:49
S53	9	"6488586"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 16:54
S54	2	"20040260754"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:31
S55	1	(modify add delete remove) with verification adj parameters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:32
S56	96	(modify add delete remove) with (filter\$3 validat\$3) adj parameters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:33
S57	2	(modify add delete remove) with list with (filter\$3 validat\$3) adj parameters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:34
S58	96	(modify add delete remove) with (filter\$3 validat\$3) adj parameters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:40
S61	69	S60 and @ad<"20030620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:41
S60	89	(modify add delete remove adjust new old) same (validat\$3) adj parameters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:41
S59	70	S58 and @ad<"20030620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:41

S62	47	(cross adj site adj script \$3) (XSS with script\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 14:59
S2	0	S1 and (cross adj site with script\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 14:59
S63	7	726/22.ccls. and script with attack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 17:23
S65	25	S64 and client and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/17 11:00
S64	47	malicious adj request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/17 11:01
S13	55	S12 and @ad<"20030620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/17 11:02
S68	36	S67 and script\$3 same attack\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/17 11:41
S69	17	S68 and @ad<"20030620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/17 11:42
S66	28	S64 and @ad<"20030620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/17 11:42
S70	2	"20040073811"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/17 13:10

S67	840	726/22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 21:59
S75	2	S74 and @ad<"20030620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 22:08
S74	37	user adj input and cross adj site adj script\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 22:08
S73	1	(filter encode) with user adj input and cross adj site adj script\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 22:08
S72	5	(filter encode) with user adj input and HTTP and malicious	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 22:08
S71	9	726/22.ccls. and cross adj site adj script\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 22:08
S51	17	S50 and @ad<"20030620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/28 22:08
S76	3	razmov.in. and filter\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/04 12:11
S77	3	US-6605120-\$.DID. OR US-6558431-\$.DID. OR US-6732102-\$.DID.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/04 12:14
S78	5667	simon.in. and filter\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/04 12:17

S80	236	S79 and valid\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/04 12:18
S79	308	simon.in. and filter\$3 and script\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/04 12:18
S82	32	S81 and html	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/04 12:19
S81	89	S80 and attack\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/04 12:19
S83	193	microsoft.as. and script\$3 and (filter\$3 examin\$5) and attack\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/04 12:21
S85	9	S84 and @pd<"20020620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/04 12:23
S84	190	log\$4 with attack\$1 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/04 12:23
S86	4	S83 and @pd<"20020620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/04 12:24
L1	12	726/22.ccls. and cross adj site adj script\$3 and user with input\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 23:46
L3	9	l2 and @ad<"20030620"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/13 23:48

L2	113	cross adj site adj script\$3	US-PGPUB;	OR	OFF	2009/02/13
		and user with input\$3	USPAT; EPO;			23:48
			JPO;			
			DERWENT;			
			IBM_TDB			

2/13/2009 11:51:51 PM

C:\ Documents and Settings\ jwilliams\ My Documents\ EAST\ Workspaces\ 10600683-CrossSiteScripting.wsp